

TTI Adapter Kits

Keeping your hydraulic systems' gear boxes and storage containers clean, dry, and in optimal operating condition can be a challenge for maintenance professionals. By featuring a single manifold body, a TTI Adapter Kit minimizes the number of intrusions into your system, minimizing the possibility of contaminant entry for optimal system reliability and performance.





TTI's family of adapter kits allows quality-minded operators to implement lubrication best practices by providing clean connections for all your needs.

TTI adapter kits deliver the following:

- Drain connection for flow to a filtration system
- Fill port for return flow from filtration system
- Connection of a desiccant breather
- Addition of a sampling port
- Addition of a vacuum indicator

By featuring a single manifold body, a TTI Adapter Kit minimizes the number of intrusions into your system, minimizing the possibility of contaminant entry.

TTI Adapter Kits



#TTHA Hydraulic Adapter Kit

Features & Benefits

Quick-connect fittings provide easy connection of a filtration system to hydraulic equipment.

Desiccant breather stops entry of dirt, moisture, and other contamination.

Recessed mounting holes make it easier to use OEM mounting hardware.

Kit includes:

- Adapter body
- Fitting, ISO B 3/4" male
- Fitting, ISO B 1" male
- Vacuum Gauge
- Sample Valve
- Gasket, 6-hole ANSI
- Fill tube, 12" length
- Sample tube, 24" length
- Desiccant Breather

Custom options available. Please contact us for details.

TTI Adapter Kits



#TTGA Gearbox Adapter Kit

Features & Benefits

Quick-connect fittings provide easy connection of a filtration system to a gearbox.

Desiccant breather stops entry of dirt, moisture, and other contamination.

Direct entry into the gearbox eliminates oil backflow into the breather, a common challenge in competitor products.

Kit includes:

- Gearbox adapter body
- Fitting, ISO B 3/4" male
- Fitting, ISO B 1" male
- Fitting, 3/4" MNPT
- Vacuum Gauge
- Fill tube, 2" length
- Desiccant Breather

Custom options available. Please contact us for details.



Ordering Information

Model	Description	Shipping Weight
TTHA-2	Hydraulic Adapter Kit with TT-2 Power Breather	3.5 lb/1.6 kg
TTHA-2-CV	Hydraulic Adapter Kit with TT-2-CV Power Breather	3.5 lb/1.6 kg
TTHA-3	Hydraulic Adapter Kit with TT-3 Power Breather	4 lb/1.8 kg
TTHA-3-CV	Hydraulic Adapter Kit with TT-3-CV Power Breather	4 lb/1.8 kg
TTHA-4	Hydraulic Adapter Kit with TT-4 Power Breather	4.5 lb/2.1 kg
TTHA-4-CV	Hydraulic Adapter Kit with TT-4-CV Power Breather	4.5 lb/2.1 kg
TTGA-2	Gearbox Adapter Kit with TT-2 Power Breather	5 lb/2.3 kg
TTGA-2-CV	Gearbox Adapter Kit with TT-2-CV Power Breather	5 lb/2.3 kg
TTGA-3	Gearbox Adapter Kit with TT-3 Power Breather	5.5 lb/2.5 kg
TTGA-3-CV	Gearbox Adapter Kit with TT-3-CV Power Breather	5.5 lb/2.5 kg
TTGA-4	Gearbox Adapter Kit with TT-4 Power Breather	6 lb/2.7 kg
TTGA-4-CV	Gearbox Adapter Kit with TT-4-CV Power Breather	6 lb/2.7 kg

Shipping Carton Dimension:

- Hydraulic Adapter Kits $5 \times 5 \times 25$ in/12.7 x 12.7 x 63.5 cm, 6-7.5 lbs/2.7-3.4 kg
- Gearbox Adapter Kits 5 x 5 x 25 in/12.7 x 12.7 x 63.5 cm, 6-7.5 lbs/2.7-3.4 kg

Packaging dimensions and weights may vary depending on fill/sample tube lengths and breather selection.

